



E1030-WH

LED 12V 10 x 0.6W GROUND LIGHT KIT

- 12V DC
- 10 x 0.6W
- 1 Metre Cable
- IP67 Rating
- 10 Light Kit
- Ultra-thin
- Surface Material: Stainless Steel +PC
- LED Colour: White

SMD LED technology
 High quality stainless steel
 Easy and convenient for installation
 Walk over pressure Max: 100kgs
 Long Lifespan: 50000 Hours




APPLICATION:



Hard Wood Flooring, Laminate, Carpet, Ceramic Tiles, Natural Stone, Quartz Flooring, Decking.

Read these instructions carefully before use

- Please ensure LED Light Kit is installed by a qualified Electrician.
- Ensure all connections are securely fitted before connecting to mains power outlet.
- Disconnect from mains adapter before changing or installing LED Light Kit.



Cutout



For more information contact:

Unit 7/8 Ashbourne Business Centre, Ballybin Road, Ashbourne, Co. Meath, Ireland, A84 YP58,

Phone: 00353 1 835 7447

Unit 32 Junction One Business Park, Valley Road, Birkenhead, Merseyside, UK, CH41 7ED,

UK Ph: 0330 551 7000

Website: www.sgd.ie



Solas Geal Distribution





EU DECLARATION OF CONFORMITY

Manufacturers Name: Solas Geal Distribution
Unit 7/8 Ashbourne Business Centre, Ballybin Road, Ashbourne, Co. Meath, A84 YP58.

Declaration Number:
E1030-WH, E10PEN-WH

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Products:
12V LED Ground Lights

Model Number:
E1030-WH, E10PEN-WH

The product/model of the declaration described above is in conformity with the relevant
Community harmonisation legislation:

Low Voltage Directive (2014/35/EU)
EMC (2014/30/EU)

The product/model of the declaration described above is in conformity with the below listed
harmonised standards and technical specifications listed below:

EN 61347-2-13:2014+A1:2017; EN 61347-1:2015; EN 62493:2015
IEC 61347-2-13:2014, AMD1:2016, IEC 61347-1:2015, AMD1:2017
EN 55015: 2013+A1: 2015, EN 61547: 2009
EN 61000-3-2: 2014, EN 61000-3-3: 2013

Signed:

Date:

Place of Issue: Republic of Ireland

